Frostegård, J. High iron stores and cardiovascular disease in systemic lupus erythematosus - reply, 585
Fujino, N. *see* Konno, T.
Fuller, J.H. *see* Soedamah-Muthu, S.S.
Fusco, M.A. *see* Dalle Grave, R.

Galanti, M.R., Granath, F., Cnattingius, S., Ekbom-Schnell, A. & Ekbom, A. Cigarette smoking and the risk of goitre and thyroid nodules amongst parous women, 257
Galetta, F., Cupisti, A., Franzoni, F., Femia, F.R., Rossi, M., Barsotti, G. & Santoro, G. Left ventricular function and calcium phosphate plasma levels in uraemic patients, 378
Garlaschelli, K. *see* Norata, G.D.
Giannakidou, E. *see* Gouni-Berthold, I.
Gibson, P.R. *see* Fraser, J.R.E.
Girodon, F., Jooste, V., Maynadié, M., Favre, B., Schaeffer, C. & Carli, P.M. Incidence of chronic Philadelphia chromosome negative (Ph−) myeloproliferative disorders in the Côte d'Or area, France, during 1980–99, 90
González-Macías, J. *see* Valero, C.
Goudevenos, J.A. *see* Milionis, H.J.
Gouni-Berthold, I., Giannakidou, E., Faust, M., Kratzsch, J., Berthold, H.K. & Krone, W. Resistin gene 3′-untranslated region +62G→A polymorphism is associated with hypertension but not diabetes mellitus type 2 in a German population, 518
Gozlan, J. *see* Cacheux, W.
de Graaf, J. *see* van Himbergen, T.M.
Granath, F. *see* Galanti, M.R.
Gräns, H., Nilsson, P. & Evengård, B. Gene expression profiling in the chronic fatigue syndrome, 388
Grigore, L. *see* Norata, G.D.
Gupta, D. *see* Agarwal, R.

Haltmayer, M. *see* Eller, P.
Hammar, N. *see* Pehrsson, S.K.
Hamsten, A. *see* Samnegård, A.
Hanssen, T.-A. *see* Marienhagen, K.
Hansson, G. *see* Khorram-Manesh, A.
Harikishan, B. *see* Paul, N.
Hayashi, K. *see* Konno, T.
Hayoz, D., Bounameaux, H. & Canova, C.R. Swiss Atherothrombosis Survey: a field report on the occurrence of symptomatic and asymptomatic peripheral arterial disease, 238
Heier, M. *see* Meisinger, C.
Heine, R.J. *see* Spoelstra-de Man, A.M.E.
Hellman, U. *see* Mörner, S.
Hermus, A. *see* Voermans, N.C.
Hernández, J.L. *see* Valero, C.
van Himbergen, T.M., van Tits, L.J.H., Voorbij, H.A.M., de Graaf, J., Stalenhoef, A.F.H. & Roest, M. The effect of statin therapy on plasma high-density lipoprotein cholesterol levels is modified by paraoxonase-1 in patients with familial hypercholesterolaemia, 442
Hoorn, E.J., de Vogel, S. & Zietse, R. Insulin resistance in an 18-year-old patient with Down syndrome presenting with hyperglycaemic coma, hypernatraemia and rhabdomyolysis, 285
Hörl, W.H. *see* Deicher, R.
Hovda, K.E., Hunderi, O.H., Tafjord, A.B., Dunlop, O., Rudberg, N. & Jacobsen, D. Methanol outbreak in Norway 2002–2004: epidemiology, clinical features and prognostic signs, 181
Hu, G. *see* Patja, K.
Huang, D.-F. *see* Chen, H.-A.
Hulthe, J. *see* Samnegård, A.
Hulthe, J. *see* Wallenfeldt, K.
Hunderi, O.H. *see* Hovda, K.E.
Hursting, M.J. *see* Begelman, S.M.

Idzior-Walus, B. *see* Soedamah-Muthu, S.S.
Indredavik, B., Rohweder, G. & Lydersen, S. Frequency and effect of optimal anticoagulation before onset of ischaemic stroke in patients with known atrial fibrillation, 133
Ino, H. *see* Konno, T.
Inoue, M. *see* Konno, T.

Jacobsen, D. *see* Hovda, K.E.
Jankowski, K. *see* Lichodziejewska, B.
Jansson, J.-H. *see* Oldgren, J.
Jansson, S. *see* Khorram-Manesh, A.
Jarmuzewska, E.A. & Mangoni, A.A. Pulse pressure is independently associated with sensorimotor peripheral neuropathy in patients with type 2 diabetes, 38
Jaschke, W. *see* Kaser, S.
Jooste, V. *see* Girodon, F.
Jousilahti, P. *see* Patja, K.

Kaczirek, K. *see* Deicher, R.
Kalantzi, K.J. *see* Milionis, H.J.
Kaneda, T. *see* Konno, T.
Kannagai, R. *see* Paul, N.
Kaser, A. *see* Kaser, S.
Kaser, S., Moschen, A., Kaser, A., Ludwiczek, O., Ebenbichler, C.F., Vogel, W., Jaschke, W., Patsch, J.R. & Tilg, H. Circulating adiponectin reflects severity of liver disease but not insulin sensitivity in liver cirrhosis, 274
Kazzam, E. *see* Mörner, S.
Khorram-Manesh, A., Ahlman, H., Nilsson, O., Friberg, P., Odén, A., Stenström, G., Hansson, G., Stenquist, O., Wängberg, B., Tisell, L.-E. & Jansson, S. Long-term outcome of a large series of patients surgically treated for pheochromocytoma, 55
Kirsch, B. *see* Deicher, R.
Kjeldsen, A.D., Møller, T.R., Brusgaard, K., Vase, P. & Andersen, P.E. Clinical symptoms according to genotype amongst patients with hereditary haemorrhagic telangiectasia, 349
Konno, T., Shimizu, M., Ino, H., Fujino, N., Hayashi, K., Uchiyama, K., Kaneda, T., Inoue, M., Masuda, E. & Mabuchi, H. Phenotypic differences between electrocardiographic and echocardiographic determination of hypertrophic cardiomyopathy in genetically affected subjects, 216
Kratzsch, J. *see* Gouni-Berthold, I.
Krone, W. *see* Gouni-Berthold, I.
Kuo, H.-K., Yen, C.-J. & Bean, J.F. Levels of homocysteine are inversely associated with cardiovascular fitness in women, but not in men: data from the National Health and Nutrition Examination Survey 1999–2002, 328
Kupari, M., Eriksson, S., Turto, H., Lommi, J. & Pettersson, K. Leakage of cardiac troponin I in aortic valve stenosis, 231
Kurnicka, K. *see* Lichodziejewska, B.

Lammens, M. *see* Voermans, N.C.
Laule-Kilian, K. *see* Mueller, C.
Lauriks, W. *see* Boonen, S.
Lee, S.H. & Rubin, L.J. Current treatment strategies for pulmonary arterial hypertension, 199
Leosdottir, M., Nilsson, P.M., Nilsson, J.-Å., Månsson, H. & Berglund, G. Dietary fat intake and early mortality patterns – data from The Malmö Diet and Cancer Study, 153
Li, Z. *see* Qin, W.
Liao, H.-T. *see* Chen, H.-A.
Lichodziejewska, B., Jankowski, K., Kurnicka, K., Ciurzynski, M. & Liszewska-Pfejfer, D. A positive outcome in patient with massive acute pulmonary embolism and right atrial mobile thrombus fragmented during thrombolysis: a serial echocardiographic examination, 281
Lindholm, B. *see* Nordfors, L.
Linnersjö, A. *see* Pehrsson, S.K.

Lip, G.Y. *see* Nadar, S.K.
Lishner, M. *see* Pereg, D.
Liszewska-Pfejfer, D. *see* Lichodziejewska, B.
Lommi, J. *see* Kupari, M.
López, J. *see* López-Dupla, M.
López-Dupla, M., Martinez, J.A., Vidal, F., Almela, M., López, J., Marco, F., Soriano, A., Richart, C. & Mensa, J. Clinical characterization of breakthrough bacteraemia: a survey of 392 episodes, 172
Löwel, H. *see* Meisinger, C.
Ludwiczek, O. *see* Kaser, S.
Lundberg, V. *see* Rautio, A.
Lundblad, D., Dinesen, B., Rautio, A., Røder, M.E. & Eliasson, M. Low level of tissue plasminogen activator activity in non-diabetic patients with a first myocardial infarction, 13
Lundman, P. *see* Samnegård, A.
Luo, H. *see* Qin, W.
Lydersen, S. *see* Indredavik, B.

Mabuchi, H. *see* Konno, T.
McCollum, D. *see* Begelman, S.M.
McElduff, P. *see* Mackness, B.
Mackness, B., McElduff, P. & Mackness, M.I. The paraoxonase-2-310 polymorphism is associated with the presence of microvascular complications in diabetes mellitus, 363
Mackness, M.I. *see* Mackness, B.
McPheat, W. *see* Samnegård, A.
Maggi, F.M. *see* Norata, G.D.
Malerba, M., Radaeli, A., Mori, E. & Romanelli, G. Inhaled corticosteroids and risk of osteoporosis in asthma, 293
Mangoni, A.A. *see* Jarmuzewska, E.A.
Mansikkaniemi, K. *see* Raitakari, M.
Månsson, H. *see* Leosdottir, M.
Marchena, P.J. *see* Díaz de Tuesta, A.M.
Marchesini, G. *see* Dalle Grave, R.
Marco, F. *see* López-Dupla, M.
Marienhagen, K., Due, J., Hanssen, T.-A. & Svartberg, J. Surviving extreme hypercalcaemia – a case report and review of the literature, 86
Marniemi, J. *see* Raitakari, M.
Martinez, J.A. *see* López-Dupla, M.
Mascitelli, L. & Pezzetta, F. High iron stores and cardiovascular disease in systemic lupus erythematosus, 584
Masotti, L., Ceccarelli, E., Forconi, S. & Cappelli, R. Prognostic role of C-reactive protein in very old patients with acute ischaemic stroke, 145
Masuda, E. *see* Konno, T.
Maynadié, M. *see* Girodon, F.
Meisinger, C., Löwel, H., Heier, M., Schneider, A. & Thorand, B. for the kora study group. Serum γ-glutamyltransferase and risk of type 2 diabetes mellitus in men and women from the general population, 527
Melchionda, N. *see* Dalle Grave, R.
Mensa, J. *see* López-Dupla, M.
Mercuro, G. *see* Vitale, C.
Messner, T. *see* Rautio, A.
Michalet, V. *see* Sève, P.
Mikhailidis, D.P. *see* Milionis, H.J.
Milionis, H.J., Kalantzi, K.J., Goudevenos, J.A., Seferiadis, K., Mikhailidis, D.P. & Elisaf, M.S. Serum uric acid levels and risk for acute ischaemic nonembolic stroke in elderly subjects, 435
Møller, T.R. *see* Kjeldsen, A.D.
Mori, E. *see* Malerba, M.
Mörner, S., Hellman, U., Suhr, O.B., Kazzam, E. & Waldenström, A. Amyloid heart disease mimicking hypertrophic cardiomyopathy, 225
Moschen, A. *see* Kaser, S.
Mueller, C., Laule-Kilian, K., Frana, B., Rodriguez, D., Rudez, J., Scholer, A., Buser, P., Pfisterer, M. & Perruchoud, A.P. The use of B-type natriuretic peptide in the management of elderly patients with acute dyspnoea, 77
Mueller, C., Laule-Kilian, K., Scholer, A. & Perruchoud, A.P. B-type natriuretic peptide for risk stratification in community-acquired pneumonia, 391
Mueller, T. *see* Eller, P.
Müllner, M. *see* Deicher, R.
Mundt, M.P. *see* French, M.T.

Nadar, S.K., Blann, A., Beevers, D.G. & Lip, G.Y. Abnormal angiopoietins 1&2, angiopoietin receptor Tie-2 and vascular endothelial growth factor levels in hypertension: relationship to target organ damage [a sub-study of the Anglo-Scandinavian Cardiac Outcomes Trial (ASCOT)], 336
Nasic, S. *see* Rautio, A.
Niederle, B. *see* Deicher, R.
Nielsen, E.W. Hypotensive shock and angio-oedema from angiotensin II receptor blocker: a class effect in spite of tripled tryptase values, 385
Nieto, J.A. *see* Díaz de Tuesta, A.M.
Nijpels, G. *see* Spoelstra-de Man, A.M.E.
Nilsson, J.-Å. *see* Leosdottir, M.
Nilsson, O. *see* Khorram-Manesh, A.
Nilsson, P. *see* Gräns, H.
Nilsson, P.M. *see* Leosdottir, M.
Nilsson, T.K. *see* Oldgren, J.
Norata, G.D., Garlaschelli, K., Ongari, M., Raselli, S., Grigore, L., Benvenuto, F., Maggi, F.M. & Catapano, A.L. Effect of the Toll-like receptor 4 (TLR-4) variants on intima-media thickness and monocyte-derived macrophage response to LPS, 21
Nordfors, L., Lindholm, B. & Stenvinkel, P. End-stage renal disease – not an equal opportunity disease: the role of genetic polymorphisms, 1

Odeberg, J. *see* Samnegård, A.
Odén, A. *see* Khorram-Manesh, A.
Oldgren, J., Fellenius, C., Boman, K., Jansson, J.-H., Nilsson, T.K., Wallentin, L. & Siegbahn, A. Influence of prolonged dalteparin treatment on coagulation, fibrinolysis and inflammation in unstable coronary artery disease, 420
Olofsson, S.-O. & Borèn, J. Apolipoprotein B: a clinically important apolipoprotein which assembles atherogenic lipoproteins and promotes the development of atherosclerosis, 395
Ongari, M. *see* Norata, G.D.
Orrenius, S. *see* Fadeel, B.

Patja, K., Jousilahti, P., Hu, G., Valle, T., Qiao, Q. & Tuomilehto, J. Effects of smoking, obesity and physical activity on the risk of type 2 diabetes in middle-aged Finnish men and women, 356
Patsch, J.R. *see* Eller, P.
Patsch, J.R. *see* Kaser, S.
Paul, N., Kannagai, R., Robert, K., Harikishan, B., Rupali, P. & Abraham, O.C. A HIPS-mimic, 579
Paye, F. *see* Cacheux, W.
Pehrsson, S.K., Linnersjö, A. & Hammar, N. Cancer risk of patients with ischaemic syndromes, 124
Pereg, D. & Lishner, M. Non-steroidal anti-inflammatory drugs for the prevention and treatment of cancer, 115
Perruchoud, A.P. *see* Mueller, C.
Persson, L. *see* Dahlman, I.
Pettersson, K. *see* Kupari, M.
Pezzetta, F. *see* Mascitelli, L.
Pfisterer, M. *see* Mueller, C.
Poupon, R. *see* Cacheux, W.

Qiao, Q. *see* Patja, K.
Qin, W., Zhou, Q., Yang, L.-C., Li, Z., Su, B.-H., Luo, H. & Fan, J.-M. Peripheral B lymphocyte β1,3-galactosyltransferase and chaperone expression in immunoglobulin A nephropathy, 467

Radaeli, A. *see* Malerba, M.
Raitakari, M., Mansikkaniemi, K., Marniemi, J., Viikari, J.S.A. & Raitakari, O.T. Distribution and determinants of serum high-sensitive C-reactive protein in a population of young adults. The Cardiovascular Risk in Young Finns Study, 428
Raitakari, O.T. *see* Raitakari, M.
Raselli, S. *see* Norata, G.D.
Rautio, A., Lundberg, V., Messner, T., Nasic, S., Stegmayr, B. & Eliasson, M. Favourable trends in the incidence and outcome of myocardial infarction in nondiabetic, but not in diabetic, subjects: findings from the MONICA myocardial infarction registry in northern Sweden in 1989–2000, 369
Rautio, A. *see* Lundblad, D.
Riancho, J.A. *see* Valero, C.
Ribó, M.D.R. *see* Díaz de Tuesta, A.M.
Richart, C. *see* López-Dupla, M.
Ritsch, A. *see* Eller, P.
Robert, K. *see* Paul, N.
Røder, M.E. *see* Lundblad, D.
Rodriguez, D. *see* Mueller, C.
Roest, M. *see* van Himbergen, T.M.
Rohweder, G. *see* Indredavik, B.
Romanelli, G. *see* Malerba, M.
Rosano, G.M.C. *see* Vitale, C.
Rosmorduc, O. *see* Cacheux, W.
Rossi, M. *see* Galetta, F.
Rubin, L.J. *see* Lee, S.H.
Rudberg, N. *see* Hovda, K.E.
Rudez, J. *see* Mueller, C.
Rupali, P. *see* Paul, N.

Samnegård, A., Silveira, A., Lundman, P., Boquist, S., Odeberg, J., Hulthe, J., McPheat, W., Tornvall, P., Bergstrand, L., Ericsson, C.-G., Hamsten, A. & Eriksson, P. Serum matrix metalloproteinase-3 concentration is influenced by MMP-3 −1612 5A/6A promoter genotype and associated with myocardial infarction, 411
Santoro, G. *see* Galetta, F.
Schaeffer, C. *see* Girodon, F.
Schgoer, W. *see* Eller, P.
Schneider, A. *see* Meisinger, C.
Scholer, A. *see* Mueller, C.
Scoazec, J.-Y. *see* Sève, P.
Seferiadis, K. *see* Milionis, H.J.
Sève, P., Stankovic, K., Michalet, V., Vial, T., Scoazec, J.-Y. & Broussolle, C. Carbimazole induced eosinophilic granulomatous vasculitis localized to the stomach, 191
Shimizu, M. *see* Konno, T.
Siegbahn, A. *see* Oldgren, J.
Silveira, A. *see* Samnegård, A.
Smulders, Y.M. *see* Spoelstra-de Man, A.M.E.
Soedamah-Muthu, S.S., Chaturvedi, N., Teerlink, T., Idzior-Walus, B., Fuller, J.H., Stehouwer, C.D.A. Plasma homocysteine and microvascular and macrovascular complications in type 1 diabetes: a cross-sectional nested case–control study, 450
Soriano, A. *see* López-Dupla, M.
Spoelstra-de Man, A.M.E., Smulders, Y.M., Dekker, J.M., Heine, R.J., Bouter, L.M., Nijpels, G. & Stehouwer, C.D.A. Homocysteine levels are not associated with cardiovascular autonomic function in elderly Caucasian subjects without or with type 2 diabetes mellitus: the Hoorn Study, 536
Stalenhoef, A.F.H. *see* van Himbergen, T.M.
Stankovic, K. *see* Sève, P.
Stegmayr, B. *see* Rautio, A.
Stehouwer, C.D.A. *see* Soedamah-Muthu, S.S.
Stehouwer, C.D.A. *see* Spoelstra-de Man, A.M.E.
Stenquist, O. *see* Khorram-Manesh, A.
Stenström, G. *see* Khorram-Manesh, A.
Stenvinkel, P. *see* Nordfors, L.
Sternby, N.H. *see* Ögren, M.
Su, B.-H. *see* Qin, W.
Suhr, O.B. *see* Mörner, S.
Svartberg, J. *see* Marienhagen, K.

Tafjord, A.B. *see* Hovda, K.E.
Tancevski, I. *see* Eller, P.
Tankó, L.B. & Christiansen, C. Effects of 17β-oestradiol plus different doses of drospirenone on adipose tissue, adiponectin and atherogenic metabolites in postmenopausal women, 544
Tassi, V. *see* Di Paola, R.
Teerlink, T. *see* Soedamah-Muthu, S.S.
Thorand, B. for the kora study group. *see* Meisinger, C.
Tilg, H. *see* Kaser, S.
Tisell, L.-E. *see* Khorram-Manesh, A.
van Tits, L.J.H. *see* van Himbergen, T.M.
Tornvall, P. *see* Samnegård, A.
Trischitta, V. *see* Di Paola, R.
Tufano, A. *see* Dalle Grave, R.
Tuomilehto, J. *see* Patja, K.
Turto, H. *see* Kupari, M.

Uchiyama, K. *see* Konno, T.
Ulmer, H. *see* Eller, P.

Val, E. *see* Díaz de Tuesta, A.M.
Valero, C., Zarrabeitia, M.T., Hernández, J.L., Zarrabeitia, A., González-Macías, J. & Riancho, J.A. Bone mass in young adults: relationship with gender, weight and genetic factors, 554
Valle, T. *see* Patja, K.
Vanderschueren, D. *see* Boonen, S.
Vase, P. *see* Kjeldsen, A.D.
Vial, T. *see* Sève, P.
Vidal, F. *see* López-Dupla, M.
Viikari, J.S.A. *see* Raitakari, M.
Vitale, C., Mercuro, G., Cornoldi, A., Fini, M., Volterrani, M. & Rosano, G.M.C. Metformin improves endothelial function in patients with metabolic syndrome, 250
Voermans, N.C., Lammens, M., Wevers, R.A., Hermus, A. & van Engelen, B.G.M. Statin-disclosed acid maltase deficiency, 196
de Vogel, S. *see* Hoorn, E.J.
Vogel, W. *see* Kaser, S.
Volterrani, M. *see* Vitale, C.
Voorbij, H.A.M. *see* van Himbergen, T.M.

Wahrenberg, H. *see* Dahlman, I.
Waldenström, A. *see* Mörner, S.
Wallenfeldt, K., Hulthe, J. & Fagerberg, B. The metabolic syndrome in middle-aged men according to different definitions and related changes in carotid artery intima-media thickness (IMT) during 3 years of follow-up, 28
Wallentin, L. *see* Oldgren, J.
Wängberg, B. *see* Khorram-Manesh, A.
Wehinger, A. *see* Eller, P.
Wendum, D. *see* Cacheux, W.
Wevers, R.A. *see* Voermans, N.C.

Yang, L.-C. *see* Qin, W.
Yen, C.-J. *see* Kuo, H.-K.

Zarrabeitia, A. *see* Valero, C.
Zarrabeitia, M.T. *see* Valero, C.
Zavala, S.K. *see* French, M.T.
Zhou, Q. *see* Qin, W.
Zietse, R. *see* Hoorn, E.J.

Ögren, M., Eriksson, H., Bergqvist, D. & Sternby, N.H. Subcutaneous fat accumulation and BMI associated with risk for pulmonary embolism in patients with proximal deep vein thrombosis: a population study based on 23 796 consecutive autopsies, 166

Journal of Internal Medicine 2005; **258**: 595–596

Keyword index

ABI, 238
acanthosis nigricans, 285
acute liver failure, 573
acute myocardial infarction, 369
adiponectin, 544
adipose tissue, 166
adverse effects, 385
albuminuria, 450
alcohol, 356
androgen receptor, 554
angiogenesis, 115, 124, 336
angioneurotic oedema, 385
angiopoietin, 336
angiotensin II type 1 receptor blockers, 385
antithrombotic therapy, 133
aortic valve stenosis, 231
apolipoproteins B, 395
apoptosis, 479
argatroban, 563
aromatase, 554
atherogenic metabolites, 544
atherosclerosis, 1, 28, 395
atherothrombosis, 238
atrial fibrillation, 133
attrition, 265
autoimmune disease, 479
autonomic nervous system diseases, 536

β1,3-galactosyltransferase, 467
binge eating, 265
blood flow, 460
body fat distribution, 544
body image, 265
bone mineral density, 554
bradykinin, 385
brainstem, 301
breakthrough bacteraemia, 172

calcitriol, 67
calcium, 67
calcium phosphate product, 378
cancer, 115, 124, 153, 479
carbimazole, 191
carcinogenesis, 115
cardiovascular, 153, 428
cardiovascular disease, 450
carotid atherosclerosis, 28
cerebral cortex, 301
C1GALT1, 467
chronic kidney disease, 1
Churg–Strauss syndrome, 191
cirrhosis, 274
clinical outcome, 55
coagulase-negative staphylococci, 172
coagulation, 420
cohort study, 257
continuous care, 265
control, 363
coronary angiography, 411
coronary heart disease, 94, 363
Cosmc, 467
C-reactive protein, 145
cyclooxygenase-2, 115
cyclo-oxygenase-2, 21

deep vein thrombosis, 166
diabetes, 38, 45, 527
diabetes mellitus, 285, 369
diabetes mellitus type 2, 518, 536
diagnosis, 181
dietary fats, 153
differential diagnosis, 385
Down syndrome, 285
drug therapy, 199
dyspnoea, 77

eating, 460
echocardiography, 281
elderly, 145, 435
elderly patients, 77
electrocardiography, 216
emergency diagnosis, 77
endothelial function, 250
eosinophilic granulomatous vasculitis, 191
epidemiology, 166, 181, 428, 527
epistaxis, 349

factor V Leiden, 244
familial amyloid polyneuropathy, 225
feeding, 301
fibrinolysis, 13
free fatty acids, 94

ganciclovir, 573
gastrointestinal motility, 460
gene expression, 21
genetics, 216, 225
genotype, 216
genotyping, 518
glucose metabolism disorders, 536

haemo-dialysis, 378
HDL, 94
heart failure, 231
heparin, 563
hepatic lipase, 344
hereditary haemorrhagic telangiectasia, 349
high-density lipoproteins, 442
homocysteine, 244, 328, 450, 536
human herpesvirus 6, 573
hyaluronan, 460
hypercalcaemic crisis, 86
hyperhomocysteinaemia, 536
hypernatraemia, 285
hyperparathyroidism, 86
hyperphosphataemia, 378
hyper-tension, 336
hypertension, 38, 45, 199, 450, 518
hypertrophic cardiomyopathy, 225
hypothalamus, 301

immunoglobulin A glycosylation, 467
immunoglobulin A nephropathy, 467
incidence, 369
inflammation, 1, 21, 145, 274, 420, 428, 479
insulin, 13
insulin resistance, 250, 274
interleukin-6, 21

intermittent claudication, 124
intravenous catheter, 172
ischaemia/reperfusion, 479
ischaemic heart disease, 124
ischaemic stroke, 435

LDL, 94
left ventricular function, 378
lipopolysaccharide, 21
liver transplantation, 573
longitudinal study, 28
low molecular weight heparin, 420
Lp(a), 94
lymph flow, 460

malnutrition, 1
matrix metalloproteinase-3, 411
Mb.Osler, 349
medical care costs, 45
metabolic, 301
metabolic derangements, 435
metabolic syndrome, 250
metabolic syndrome X, 28
metformin, 250
methanol poisoning, 181
microsatellites, 554
mortality, 1, 153, 369
mutation, 225
myocardial hypertrophy, 216
myocardial infarction, 13, 411, 420

National Health and Nutrition Examination Survey, 328
natriuretic peptides, 77
neurodegene-ration, 479
neuropathy, 38
neutrophils, 67
nicotinic acid, 94
nosocomial bacteraemia, 172

obesity, 166, 356, 527
oestrogen plus progestogen therapy, 544
oestrogen receptor, 554
oxidation, 363

P. aeruginosa, 172
paraoxonase-2, 363
paraoxonase-1, 442
parathyroid adenoma, 86
para-thyroid hormone, 67
peripheral arterial disease, 344
peripheral artery disease, 238
phenotype, 216
pheochromocytoma, 55
physical activity, 356
physical fitness, 328
plasminogen activator inhibitor type 1 activity, 13
platelets, 336
+62G→A polymorphism, 518
polymorphism, 411
polymorphisms, 1
population, 153
primary care, 238
prognosis, 145, 181
programmed cell clearance, 479

© 2005 Blackwell Publishing Ltd

proinsulin, 13
promoter polymorphism, 344
proteoglycans, 395
psychiatric distress, 265
pulmonary, 199
pulmonary arteriovenous malformation, 349
pulmonary embolism, 166, 244, 281, 563

real-time polymerase chain reaction, 573
real-time reverse transcriptase polymerase chain reaction, 467
register, 124
resistin, 518
retinopathy, 450
reward, 301
rhabdomyolysis, 285
risk, 435
risk factors, 428, 527

S. aureus, 172
serum phosphorus, 378
shock, 385
single nucleotide, 411
single nucleotide polymorphisms, 554
smoking, 257, 356, 544
statins, 442
stomach, 191
stroke, 133, 145
Sweden, 257
symptoms, 181

target organ damage, 336
thromboembolism, 563
thrombus, 281
thyroid diseases, 257
time trends, 369
tissue Doppler imaging, 378
tissue plasminogen activator activity, 13
Toll-like receptors, 21
troponins, 231
type 1 diabetes, 363, 450
type 2 diabetes, 356, 363
type A insulin resistance, 285

ultrasonography, 28
unstable angina, 420
uraemia, 67
uric acid, 435

vascular endothelial growth factor, 336
vasculitis, 191
venous thromboembolism, 166
venous thrombosis, 244, 563
very low-density lipoprotein assembly, 395
very low-density lipoproteins, 94, 395
vicia villosa lectin, 467
vitamin B_{12}, 244

weight loss expectations, 265
women, 257

young adults, 428